

Tarrison Products Ltd.




ConverTemp
a-Temp

**Solid Door
Triple Section
Dual Compartment
Freezer**

CTFF6-61




**The industry's first
all-convertible “*shift on the fly*”
refrigeration system.**



CTFF6-61

Formerly J6SFF-61B



Solid Door Triple Section Dual Compartment 61 Cubic Foot Freezer

Features

"Shift on the fly" technology allows *Convert-a-Temp* freezer sections to be fully convertible to refrigerator temperatures. Simply adjust the temperature on the exterior PC board and your *Convert-a-Temp* unit becomes the most unique, versatile and "must-have" piece of equipment in your kitchen.

Convert-a-Temp refrigeration systems can be set exactly to a wide range of desired temperatures. Temperature setting is easy, fast and accurate.

Stainless steel interior and exterior for greater durability, construction and appearance.

Indirect Fin-Coil Cooling. *Convert-a-Temp* fin coil evaporators use the power of gravity to indirectly circulate in the box, creating low velocity airflow and more even temperatures.

Multiple Compressor System. If a compressor breaks down, the other will continue to operate sufficiently to maintain a safe temperature. Also, instead of one compressor doing all the work to cool your unit, this model features multiple compressors sharing the workload. Each compressor works less and as a result, extends its life.

Convenient and energy-efficient half-door design. Opening only half a door will release only half of the cold air. The doors also have recessed handles and come with adjustable tension springs for hands-free closing.

"Auto-D" Evaporator Defrost. *Convert-a-Temp* units offer an automatic evaporator defrost system. If the computerized thermometer and temperature control senses that the evaporator temperature is low enough for ice to accumulate, the unit will automatically cycle into defrost.

Heavy-duty 5" casters standard for easy mobility and installation. *Convert-a-Temp* units are 76.2" high on casters to wheel through most standard doors.

Dual compartments allow for each compartment to have an independent temperature setting.

Dimensions	W"	D"	H"
Exterior:	74.8	32.5	71.2
Height with casters:			76.2
Interior freezer:	44.5	26.7	57.0
Interior freezer:	21.3	26.7	57.0
Pallet size:	78.0	36.0	4.5

General Information	
Freezer	
Cubic Feet: 61 (42+19)	
12 (8+4) adjustable epoxy coated steel wire shelves	
Shelf Size: 8 - 24.5" X 22" 4 - 24.5" X 20.5"	
Exterior: Stainless	
Interior: Stainless	
Unit Weight: 550 lbs.	
Gross Weight: 616 lbs.	
Cord length: Hardwired	
Volts: 220	
Amps: 13.0 (run) 18.0 (start)	
Electric condensate evaporator	
Insulation: 2.5" thick, high-density polyurethane, foamed in place	
Interior Lights	
Compressor Information	
Refrigerant: R404A	
Number of compressors: 3	
Refrigerant Capacity: Medium/Low Temp	
Use: Freezer	
H.P.: Freezer 1/2, Freezer 1/2, Freezer 1/2	
Warranty: 1-year parts and labour and 5-year compressor.	

